

09694088

cofc

I hereby certify that this correspondence is being deposited with the U.S. Postal Service with sufficient postage as First Class Mail, in an envelope addressed to: MS Post Issue, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on the date shown below.

Dated: 10/21/04 Signature: Paula Depelteau
(Paula Depelteau)

Docket No.: WIBL-P01-522
(PATENT)



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Letters Patent of:
Gaudet *et al.*

Patent No.: 6,743,579 B1

Issued: June 1, 2004

For: GLYCEROL AS A PREDICTOR OF
GLUCOSE TOLERANCE

Certificate
OCT 29 2004
of Correction

REQUEST FOR CERTIFICATE OF CORRECTION
PURSUANT TO 37 CFR 1.322

MS Post Issue
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

Upon reviewing the above-identified patent, Patentee noted typographical errors which should be corrected.

Claim 2, line 36, "SEQ ED" should read --SEQ ID--;

Claim 4, line 21, --a-- should be added after "presence of";

Claim 5, line 31, "Type" should read --type--.

Since the errors were made by the U.S. Patent and Trademark Office and not by Patentee or Patentee's Attorney/Agent, it is understood that there are no additional fees for the requested Certificate of Correction.

Transmitted herewith is a proposed Certificate of Correction effecting such amendment. Patentee respectfully solicits the granting of the requested Certificate of Correction.

NOV 01 2004

Patent No.: 6,743,579 B1

Docket No.: WIBL-P01-522

Patentee believes no fee is due with this request. However, if a fee is due, please charge our Deposit Account No. 18-1945, from which the undersigned is authorized to draw, under Order No. WIBL-P01-522.

Dated: October 21, 2004

Respectfully submitted,

By Lisa M. Treannie

Lisa M. Treannie

Registration No.: 41,368

ROPES & GRAY LLP

One International Place

Boston, Massachusetts 02110-2624

(617) 951-7000

(617) 951-7050 (Fax)

Attorneys/Agents For Applicant

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

PATENT NO. : 6,743,579 B1

DATED : June 1, 2004

INVENTOR(S) : Gaudet *et al.*

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Claim 2, line 36, "SEQ ED" should read --SEQ ID--;

Claim 4, line 21, --a-- should be added after "presence of";

Claim 5, line 31, "Type" should read --type--.

MAILING ADDRESS OF SENDER:

Lisa M. Treannie, Esq.

ROPES & GRAY LLP

One International Place

Boston, Massachusetts 02110-2624

PATENT NO.: 6,743,579 B1

No. of additional copies: 1

NOV 01 2004

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

PATENT NO. : 6,743,579 B1

DATED : June 1, 2004

INVENTOR(S) : Gaudet *et al.*

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Claim 2, line 36, "SEQ ED" should read --SEQ ID--;

Claim 4, line 21, --a-- should be added after "presence of";

Claim 5, line 31, "Type" should read --type--.

MAILING ADDRESS OF SENDER:

Lisa M. Treannie, Esq.

ROPES & GRAY LLP

One International Place

Boston, Massachusetts 02110-2624

PATENT NO.: 6,743,579 B1

No. of additional copies: 1

NOV 01 2004